



BEI | lighting
lighting from the ground up

Street Lighting

Quality products, at the right price.

IRIDIUM



IP66 post top & side entry for SON, MH, CPO, PL and LED.

APPLICATIONS

- Side & Main Road 70w – 400w
(other wattages available)

SPECIFICATION

- 60 - 76mm post top & 34 – 60mm side entry mounting.
- Three body sizes available
SGS252
SGS253
SGS254

CONSTRUCTION

- Plastic canopy or Aluminium canopy options.
- Plastic bowl / Glass bowl / Flat Glass options.
- RAL7035 Standard colour others available.
- Max Windage = 0.1958 m² **
- Max weight = 19.8Kg **
** Depending on configuration

For ordering details please contact us on the phone number or email address below.

ARC



IP66 post top & side entry for SON, MH, CPO, CFL

APPLICATIONS

- Side & Main Road 70w – 600w
(other wattages available)

SPECIFICATION

- 60 - 76mm post top & 34 – 60mm side entry mounting.
- Two body sizes available
ARC80
ARC90

CONSTRUCTION

- LM6 Aluminium body.
- Glass bowl / Flat Glass options.
- RAL9007 Standard colour others available.
- Max Windage = 0.07 m² **
- Max weight = 14Kg **
** Depending on configuration

For ordering details please contact us on the phone number or email address below.

P680



IP65 post top & side entry for SON, MH, CPO

APPLICATIONS

- Main Road 100w – 400w
(other wattages available)

SPECIFICATION

- 60 - 76mm post top & 42 – 60mm side entry mounting.
- Low drag aerodynamic body
- Up to 5 reflector positions..

CONSTRUCTION

- High pressure die-cast aluminium..
- UV resistant, vandal resistant polycarbonate bowl.
- RAL7035.
- Max Windage = 0.05 m2 **
- Max weight = 8.9Kg **
- ** Depending on configuration

For ordering details please contact us on the phone number or email address below.

CIVIC



IP66 post top & side entry for SON, MH, CPO

APPLICATIONS

- Side and main road 50w – 250w
(other wattages available)

SPECIFICATION

- 60 - 76mm post top & 34 – 60mm side entry mounting.
- Polycarbonate or toughened glass.
- Aluminium reflector.
- Nema socket & Minicell options.
- Vandal-proof option

CONSTRUCTION

- Aluminium body.
- RAL9006.
- Max Windage = 0.094 m2 **
- Max weight = 12.5Kg **
- ** Depending on configuration

For ordering details please contact us on the phone number or email address below.

SELENIUM



IP66 post top & side entry for SON, MH, CPO

APPLICATIONS

- Side and main road 50w – 250w (other wattages available)

SPECIFICATION

- 60 - 76mm post top & 34 – 60mm side entry mounting.
- Polycarbonate bowl / Flat glass.
- Aluminium reflector.

CONSTRUCTION

- Aluminium body.
- RAL7035 other colours available.
- Max Windage = 0.14 m² **
- Max weight = 10.80Kg **
- ** Depending on configuration

For ordering details please contact us on the phone number or email address below.

VECTRA



IP66 Lamp Compartment
IP54 Gear Compartment
Post top & side entry for SON and CFL lamps.

APPLICATIONS

- Main road and motorway 50w – 400w (other wattages available)

SPECIFICATION

- 60 - 76mm post top & 34 – 60mm side entry mounting.
- Polycarbonate bowl / Curved glass / Flat glass.
- Aluminium reflector.

CONSTRUCTION

- GRP body.
- RAL7035 other colours available.
- Max Windage = 0.17 m² **
- Max weight = 13.5Kg **
- ** Depending on configuration

For ordering details please contact us on the phone number or email address below.

P567A



IP66 Post top & side entry for SON, MH, PLT lamps.

APPLICATIONS

- Minor roads, residential areas, car parks, industrial areas, footpaths, cycleways 50w – 100w (other wattages available)

SPECIFICATION

- 60 - 76mm post top & 34 – 60mm side entry mounting.
- Vandal resistant polycarbonate bowl.
- Aluminium reflector.

CONSTRUCTION

- Aluminium body.
- RAL colours available.
- Max Windage = 0.10 m2 **
- Max weight = 7.1Kg **
- ** Depending on configuration

For ordering details please contact us on the phone number or email address below.

ORACLE



IP66 Post top & side entry for SON, MH, CPO, CFL lamps.

APPLICATIONS

- Side & main road 42w – 600w (other wattages available)

SPECIFICATION

- 60 - 76mm post top & 34 – 60mm side entry mounting.
- Polycarbonate or toughened glass.
- Aluminium reflector.

CONSTRUCTION

- Aluminium body.
- RAL9006 other colours available.
- Max Windage = 0.083 m2 **
- Max weight = 15.96Kg **
- ** Depending on configuration

For ordering details please contact us on the phone number or email address below.



In addition to the fittings listed here BEI can provide a full range of products and accessories to complete almost any exterior lighting project, large or small. At our 5 acre site in South Wales we carry extensive stocks of:

COLUMNS	LAMPS
BRACKETS	CONTROL
GEAR	LANTERNS
PHOTOCELLS	CUT-OUTS
CABLE	FEEDER PILLARS



We also have on-site facilities for:

FABRICATION PAINTING

We can also provide reliable lighting designs and visualisations using the latest software.



BEI is the UK's largest supplier

of lighting columns and specialises in all aspects of exterior lighting, supplying the Highways Agency, local authorities, wholesalers and the construction industry from their site in South Wales.





BEI | lighting

lighting from the ground up

Unit 15 Brackla Industrial Estate
Bridgend Wales CF31 2AN

T: +44 (0)1656 645 414 SALES
F: +44 (0)1656 669 231 SALES

E: sales@beilighting.com

www.beilighting.com